

N110 KIRA



0919 nero



0614 amaranta



0210 white - 0120 white PFP



5316 new blu cina

N110 KIRA

Applications
> Swimwear

This iconic matt charmeuse is HYK&D's signature fabric. High performance and versatile, Kira is your best choice for any water collection.



Composition

Polyamide		Elastane	
80%		20%	
Weight (±5%)		Width (+3%/-2%)	
195 g/m²	293 g/m lin.	150 cm	
Courses	Wales	Tolerance for composition (standard ASTM)	
46/cm	26/cm	±3%	
Dimensional Change of fabric after HL AATCC 135-2015 (1 wash, normal cycle at 41 degree Celsius line dry)		Max	Max
		-5%	-5%
		Width	Length
Resistance to pilling ASTM D 3512-Random tumble at 30 minutes photographic rating STD		4 to 4.5	
Ultraviolet Protection Factor (U.P.F.) AATCC 183-2010		50+	
Stretch to dynamometer (±15%) ASTM D 4964 - LOAD 20 LBS		110%	215%
		Width	Length
		(min 94% - max 127%)	(min 183% - max 247%)
		30%	50%
		70%	30%
		50%	70%
		70%	50%
		50%	70%
		70%	50%
Modulus % elongation (30% - 50% - 70%)		Width Lbs	
		Length Lbs	
Care labelling codes			

AATCC Standards

COLOUR	CHLORINATED WATER AATCC 162	LIGHT AATCC 16-20 AFU	WATER 38°C AATCC 107							SEA WATER 98°C AATCC 108							PERSPIRATION AATCC 15							CROCKING AATCC 8		WASHING 49°C AATCC 61-2A						
	C.C.	C.C.	C.C.	AC	CO	PA	PL	PC	WO	C.C.	AC	CO	PA	PL	PC	WO	C.C.	AC	CO	PA	PL	PC	WO	S.CO DRY	S.CO WET	C.C.	AC	CO	PA	PL	PC	WO
0210	3	3	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	5	5	4.5	5	5	5	5	5	5
0120	3	3	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	5	5	4.5	5	5	5	5	5	5
0614	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	3.5	4.5	4.5	4.5	3.5	4.5	4.5	4.5
5316	3.5	3.5	4.5	4.5	4.5	3.5	4.5	4.5	4	4.5	4.5	4.5	3.5	4.5	4.5	3.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	3.5	4	4.5	4	4	4.5	4.5	4
0919	4.5	4.5	4.5	4.5	4	4	4.5	4.5	4	4.5	4.5	4	4	4.5	4.5	4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	3.5	4.5	4.5	4	4	4.5	4.5	4

ISO Standards

COLOUR	CHLORINATED WATER ISO 105-E03	LIGHT ISO 105-B02	WATER ISO 105-B01			SEA WATER ISO 105-B02			ALKALINE PERSPIRATION PH 8.0 ISO 105-B04			ACID PERSPIRATION PH 5.5 ISO 105-E04			CROCKING ISO 105-X12		WASHING 40°C ISO 105-C06 A2S		
	C.C. 50 mg/l	C.C.	C.C.	CO	PA	C.C.	CO	PA	C.C.	CO	PA	C.C.	CO	PA	S.CO DRY	S.CO WET	C.C.	CO	PA
0210	2-3	3	4-5	5	5	4-5	5	5	4-5	5	5	4-5	5	5	5	5	4-5	5	5
0120	2-3	3	4-5	5	5	4-5	5	5	4-5	5	5	4-5	5	5	5	5	4-5	5	5
0614	3-4	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	3-4	4-5	4-5	4
5316	2-3	3-4	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	3-4	4-5	4	4
0919	4-5	4-5	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	3-4	4-5	4-5	4

Available colors: all colors displayed in the main Polyamide color card are available for sampling on this item. Please refer to the main color card for the color fastness performance of each color. You can place bulk orders with MCQ 70 mts in any shade of our collection.

Special notes/warnings: we recommend carrying out lab tests for color matches, molding, bonding and applications on fabrics in order to prevent problems from arising during garments production. Please carefully check physical data and color fastness forecasts.



N110 KIRA



high chlorine resistant



UV protection



two way stretch



comfort fit