


N130 SHIRA



2319 nero



9917 dark olive



1410 white - 1910 white PFP



2518 champagne



N130 SHIRA



shiny



high chlorine resistance



UV protection



two way stretch



comfort fit



printable

N130 SHIRA

Applications

> Swimwear > Underwear > Dancewear

Made of glossy polyamide, Shira is not only glamorous and shiny, but also elastic and comfortable. This features makes Shira ideal for elegant and high fashion creations.



Composition

Polyamide		Elastane					
80%		20%					
Weight (±5%)		Width (+3%/-2%)					
190 g/m ²	285 g/m lin.	150 cm					
Courses	Wales	Tolerance for composition (standard ASTM)					
46/cm	26/cm	±3%					
Dimensional Change of fabric after HL AATCC 135-2015 (1 wash, normal cycle at 41 degree Celsius line dry)		Max	Max				
		-5%	-5%				
		Width	Length				
Resistance to pilling ASTM D 3512-Random tumble at 30 minutes photographic rating STD		4 to 4.5					
Ultraviolet Protection Factor (U.P.F.) AATCC 183-2010		50+					
Stretch to dynamometer (±15%) ASTM D 4964 - LOAD 20 LBS		115%	210%				
		Width	Length				
		(min 98% - max 132%)	(min 179% - max 242%)				
Modulus % elongation (30% - 50% - 70%)		30%	50%	70%	30%	50%	70%
		0.4-1.0	1.0-1.8	2.0-3.6	0.0-0.4	0.4-0.8	0.8-1.6
		Width Lbs	Length Lbs				
Care labelling codes							

AATCC Standards

COLOUR	CHLORINATED WATER	LIGHT	WATER 38°C							SEA WATER 38°C							PERSPIRATION							CROCKING		WASHING 49°C						
	AATCC 162	AATCC 16-20 AFU	AATCC 107							AATCC 106							AATCC 15							AATCC 8		AATCC 61-2A						
	C.C.	C.C.	C.C.	AC	CO	PA	PL	PC	WO	C.C.	AC	CO	PA	PL	PC	WO	C.C.	AC	CO	PA	PL	PC	WO	S.CO	S.CO	C.C.	AC	CO	PA	PL	PC	WO
1410-1910	3	3	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	5	5	4.5	5	5	5	5	5	5
1910	3	3	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	4.5	5	5	5	5	5	5	5	5	4.5	5	5	5	5	5	5
9917	4	4.5	4.5	4.5	4.5	4	4.5	4.5	4	4.5	4.5	4.5	4	4.5	4.5	4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	3.5	4	4.5	4.5	3.5	4.5	4.5	4
2518	4	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
2319	4.5	4.5	4.5	4	4.5	3.5	4.5	4.5	3.5	4.5	4	4.5	3.5	4.5	4.5	3.5	4.5	4.5	4.5	4	4.5	4.5	4	4	3	4.5	4	4.5	3.5	4.5	4.5	4

ISO Standards

COLOUR	CHLORINATED WATER	LIGHT	WATER			SEA WATER			ALKALINE PERSPIRATION PH 8.0			ACID PERSPIRATION PH 5.5			CROCKING		WASHING 40°C		
	ISO 105-E03	ISO 105-B02	ISO 105-E01			ISO 105-E02			ISO 105-E04			ISO 105-E04			ISO 105-X12		ISO 105-C06 A2S		
	C.C.	C.C.	C.C.	CO	PA	C.C.	CO	PA	C.C.	CO	PA	C.C.	CO	PA	S.CO	S.CO	C.C.	CO	PA
1410-1910	2-3	3	4-5	5	5	4-5	5	5	4-5	5	5	4-5	5	5	5	5	4-5	5	5
1910	2-3	3	4-5	5	5	4-5	5	5	4-5	5	5	4-5	5	5	5	5	4-5	5	5
9917	4	4-5	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	3-4	4-5	4-5	4
2518	3	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5	4-5
2319	4	4-5	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4-5	4-5	4	4	3	4-5	4-5	4

Available colors: all colors displayed in the main Shiny color card are available for sampling on this item. Please refer to the main color card for the color fastness performance of each color. You can place bulk orders with MCQ 70 mts in any shade of our collection.

Special notes/warnings: we recommend carrying out lab tests for color matches, molding, bonding and applications on fabrics in order to prevent problems from arising during garments production. Please carefully check physical data and color fastness forecasts.